

Day : Wednesday

Date: 7/27/2005

Time: 13:23:19

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = BERNARDS

First Name = ROGER

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|------------------------------|------------|--------|------------|---|-------------------------|
| <u>11165097</u> / | Not Issued | 020 | 06/23/2005 | COMPOSITION AND METHOD FOR PREPARING CHEMICALLY-RESISTANT ROUGHENED COPPER SURFACES FOR BONDING TO SUBSTRATES | BERNARDS, ROGER F. |
| <u>10782177</u> Brunner / | Not Issued | 094 | 02/17/2004 | COMPOSITION AND METHOD FOR PREPARING CHEMICALLY-RESISTANT ROUGHENED COPPER SURFACES FOR BONDING TO SUBSTRATES | BERNARDS, ROGER F. |
| <u>10735424</u> MK | Not Issued | 071 | 12/12/2003 | ADDITIVES TO STOP COPPER ATTACK BY ALKALINE ETCHING AGENTS SUCH AS AMMONIA AND MONOETHANOL AMINE (MEA) | BERNARDS, ROGER FRANCIS |
| <u>10660826</u> | Not Issued | 041 | 09/12/2003 | METHOD FOR ROUGHENING COPPER SURFACES FOR BONDING TO SUBSTRATES | BERNARDS, ROGER |
| <u>10634618</u> / | Not Issued | 030 | 08/05/2003 | METHODS TO STABILIZE A VISCOSITY-UNSTABLE AQUEOUS DISPERSION OF CARBON | BERNARDS, ROGER F. |
| <u>10143389</u> Brunner / | 6716281 | 150 | 05/10/2002 | COMPOSITION AND METHOD FOR PREPARING CHEMICALLY-RESISTANT ROUGHENED COPPER SURFACES FOR BONDING TO SUBSTRATES | BERNARDS, ROGER F. |
| <u>10095643</u> | Not Issued | 061 | 03/12/2002 | APPARATUS AND METHOD FOR COATING THROUGH HOLES OF PRINTED WIRING | BERNARDS, ROGER F. |

| | | | | | |
|-----------------|----------------|-----|------------|--|-----------------------|
| | | | | BOARDS WITH FLUID | |
| <u>10028955</u> | Not Issued | 061 | 12/18/2001 | METHOD FOR ROUGHENING COPPER SURFACES FOR BONDING TO SUBSTRATES | BERNARDS, ROGER |
| <u>09915444</u> | <u>6623787</u> | 150 | 07/26/2001 | METHOD TO IMPROVE THE STABILITY OF DISPERSIONS OF CARBON | BERNARDS, ROGER F. |
| <u>09479089</u> | Not Issued | 124 | 01/07/2000 | METHOD FOR ROUGHENING COPPER SURFACES FOR BONDING TO SUBSTRATES | BERNARDS, ROGER |
| <u>08177593</u> | <u>5395652</u> | 150 | 01/05/1994 | PLATING CATALYST FORMED FROM NOBLE METAL IONS AND BROMIDE IONS | BERNARDS, ROGER F. |
| <u>07803281</u> | <u>5252196</u> | 150 | 12/05/1991 | COPPER ELECTROPLATING SOLUTIONS AND PROCESSES | BERNARDS, ROGER F. |
| <u>07666798</u> | <u>5223118</u> | 150 | 03/08/1991 | METHOD FOR ANALYZING ORGANIC ADDITIVES IN AN ELECTROPLATING BATH | BERNARDS, ROGER |
| <u>07471639</u> | <u>5068013</u> | 150 | 01/29/1990 | ELECTROPLATING COMPOSITION AND PROCESS | BERNARDS, ROGER F. |
| <u>07471381</u> | <u>5051154</u> | 150 | 01/29/1990 | ADDITIVE FOR ACID- COPPER ELECTROPLATING BATHS TO INCREASE THROWING POWER | BERNARDS, ROGER F. |
| <u>07438021</u> | <u>4932518</u> | 150 | 11/20/1989 | ELECTROPLATING COMPOSITION AND PROCESS | BERNARDS, ROGER F. |
| <u>07438020</u> | <u>5004525</u> | 150 | 11/20/1989 | COPPER ELECTROPLATING COMPOSITION | BERNARDS, ROGER F. |
| <u>07235051</u> | <u>4897165</u> | 150 | 08/23/1988 | ELECTROPLATING COMPOSITION AND PROCESS FOR PLATING THROUGH HOLES IN PRINTED CIRCUIT BOARDS | BERNARDS, ROGER F. |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| | |
|-----------|------------|
| Last Name | First Name |
| BERNARDS | ROGER |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 7/27/2005


Time: 13:23:27

 **PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = LAFAYETTE

First Name = BETH

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--|----------------|--------|------------|--|---------------------|
| <u>10735424</u>  | Not Issued | 071 | 12/12/2003 | ADDITIVES TO STOP COPPER ATTACK BY ALKALINE ETCHING AGENTS SUCH AS AMMONIA AND MONOETHANOL AMINE (MEA) | LAFAYETTE, BETH ANN |
| <u>09550881</u> | <u>6454868</u> | 150 | 04/17/2000 | PERMANGANATE DESMEAR PROCESS FOR PRINTED WIRING BOARDS | LAFAYETTE, BETH ANN |
| <u>09157909</u> | <u>5985040</u> | 150 | 09/21/1998 | PERMANGANATE DESMEAR PROCESS FOR PRINTED WIRING BOARDS | LAFAYETTE, BETH ANN |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| | | |
|--|-----------------------------------|---------------------------------------|
| Last Name | First Name | |
| <input type="text" value="LAFAYETTE"/> | <input type="text" value="BETH"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 7/27/2005

Time: 13:23:32

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = PHAM

First Name = THAO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|------------|--------|------------|--|-----------------|
| <u>10957097</u> | Not Issued | 020 | 09/30/2004 | METHOD OF FABRICATING THIN FILM CALIBRATION FEATURES FOR ELECTRON/ION BEAM IMAGE BASED METROLOGY | PHAM, THAO JOHN |
| <u>10735424</u> | Not Issued | 071 | 12/12/2003 | ADDITIVES TO STOP COPPER ATTACK BY ALKALINE ETCHING AGENTS SUCH AS AMMONIA AND MONOETHANOL AMINE (MEA) | PHAM, THAO |
| <u>09815540</u> | 6664026 | 150 | 03/22/2001 | METHOD OF MANUFACTURING HIGH ASPECT RATIO PHOTOLITHOGRAPHIC FEATURES | PHAM, THAO DUC |
| <u>09754235</u> | 6776917 | 150 | 01/03/2001 | CHEMICAL MECHANICAL POLISHING THICKNESS CONTROL IN MAGNETIC HEAD FABRICATION | PHAM, THAO |
| <u>09534149</u> | 6425993 | 150 | 03/23/2000 | MEMBRANE ELECTRODE ASSEMBLY AND METHOD OF ITS MANUFACTURE | PHAM, THAO NGOC |
| <u>09468603</u> | 6804878 | 150 | 12/21/1999 | METHOD OF IMPROVING THE RELIABILITY OF MAGNETIC HEAD SENSORS BY ION MILLING SMOOTHING | PHAM, THAO JOHN |
| <u>08948851</u> | 6042959 | 150 | 10/10/1997 | MEMBRANE ELECTRODE ASSEMBLY AND METHOD OF ITS MANUFACTURE | PHAM, THAO NGOC |

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name

First Name

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)